

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

[383]

feem'd fill'd near to an exact Level with the Stratum from whence they came.

But when the Weather became rainy, the Quantity as well as the *Impetus* of the *Effluvia* increased to such a Degree, as to appear in Mornings over the Top of the Well, in the Form of a Mist, and gave great Annoyance to those that came within its Sphere of Action.

From hence it is worth observing, that the same Damp, according to the Variation of the Weather, is specifically heavier or lighter than the Air.

IX. An Extract from the Journal Books of the Royal Society, concerning Magnets having more Poles than two; by John Eames, F. R. S. with some Observations by Dr. Desaguliers on the same Subject.

HE sagacious Dr. Halley, in his Account of the Changes of the Variation of the Magnetical Needle, upon the Hypothesis of the Earth's being one great Magnet having four Magnetical Poles, tells us, that he had found two Difficulties not easy to surmount; the one was, that no Magnet he had ever seen or heard of, had more than two opposite Poles, whereas the Earth had visibly four, if not more, &c. I find in looking over the Copy of the Journal-Book of this Honourable Society, Vol. II. an Article in the following Words:

$\begin{bmatrix} 384 \end{bmatrix}$

July 20. 1664. "Mr. Ball produced several Load-stones, and "among them two Terrella's, whereof one feem'd " to have four Poles, with a Circle passing between "them, of no Virtue at all. Some of the Com-" pany suggested, that it was probable this Stone " confilted of two Stones, by Nature cemented to-" gether by a Piece that had no Magnetical Quality " in it."

Quary, Whether this Stone can be come at, to examine whether it be a fingle or a double Stone?

An Account of some Magnetical Experiments by J. T. Desaguliers.

In the Year 1715, trying some Experiments upon a very large weak Load-stone, I found that it had feveral Poles: Then I tried feveral other Load stones, and often found four Poles in fuch as had been arm'd when I took off their Armour. In large coarfe Stones I found sometimes eight, nine, or ten Poles. This made me believe all Load-stones to have several Poles; but when I tried my Lord Paisley's (fince Earl of Abercorn) Load-stones, and other very good ones, I then found that homogeneous Load-stones had but two Poles; those that have more being only an Aggregate of Magnetical and other Matter, which makes an heterogeneous Substance. Such is the Society's great Load-stone; for it has several Poles.